

Gly Gly Gly Gly

RECEIVED

SEQUENCE LISTING

APR 0 2 2003

Palatin Technologies, Inc. Sharma, Shubh D. Shi, Yi-Qun Yang, Wei

```
TECH CENTER 1600/2900
       Cai, Hui-Zhi
<120> Melanocortin Metallopeptide Constructs, Combinatorial Libraries
       and Applications
<130> 70025-02-US02
<140> US 10/049,718
<141> 2002-02-13
<150> PCT/US00/16396
<151> 2000-06-15
<150> US 60/148,994
<151> 1999-08-13
<160> 69
<170> PatentIn version 3.2
<210> 1
<211>
      4
<212>
       PRT
<213>
      Artificial
<220>
<223>
       6-9 sequence of alpha-melanocyte stimulating hormone
<400> 1
His Phe Arg Trp
<210> 2
<211> 4
<212>
      PRT
<213> Artificial
<220>
<223> Synthesized metal-binding sequence, not species derived
<400> 2
```

```
<210> 3
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 3
His Trp Cys Trp
<210> 4
<211>
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Hphe
<400> 4
His Xaa Cys Trp
<210> 5
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (2)..(2)
<223> 2Nal
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Nal 2
<400> 5
```

```
His Xaa Cys Trp
<210> 6
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (2)..(2)
<223> Phg
<400> 6
His Xaa Cys Trp
<210> 7
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 7
His Phe Cys Trp
<210> 8
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 8
His Phe Arg Cys Trp
<210> 9
```

```
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 9
His Phe Trp Cys
<210> 10
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 10
Phe Gly Cys Trp
<210> 11
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 11
Phe His Gly Cys Trp
               5
<210> 12
<211> 4
<212> PRT
<213> Artificial
<220>
<223>
      Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (2)..(2)
<223> Tle
```

```
<400> 12
Ala Xaa Cys Trp
<210> 13
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> pF-Phe
<400> 13
Ala Xaa Cys Trp
<210> 14
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Tyr(3',5' di-I, 4'Ac)
<400> 14
Ala Xaa Cys Trp
<210> 15
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
```

```
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> BAla
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Cys(Bzl)
<400> 15
Xaa Gly Xaa Cys Trp
<210> 16
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> BAla
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Lys (TFA)
<400> 16
Xaa Gly Xaa Cys Trp
               5
<210> 17
<211> 5
<212> PRT
<213> Artificial
<220>
<223>
      Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
```

```
<222> (1)..(1)
<223> BAla
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Phe(2,4-diCl)
<400> 17
Xaa Gly Xaa Cys Trp
               5
<210> 18
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> BAla
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Phe(2-C1)
<400> 18
Xaa Gly Xaa Cys Trp
               5
<210> 19
<211> 5
<212> PRT
<213> Artificial
<220>
<223>
      Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> BAla
<220>
```

```
<221> MISC_FEATURE
<222> (3)..(3)
<223> Lys(Z)
<400> 19
Xaa Gly Xaa Cys Trp
<210> 20
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> BAla
<400> 20
Xaa Gly Leu Cys Trp
               5
<210> 21
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 21
Lys His Phe Cys Trp
<210> 22
<211> 5
<212> PRT
<213> Artificial
<220>
<223>
      Synthetic metal-binding melanocortin-receptor specific sequence
<220>
```

```
<221> MISC_FEATURE
<222> (1)..(1)
<223> BAla
<400> 22
Xaa His Phe Cys Trp
               5
<210> 23
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 23
Glu His Gly Arg Trp Cys
<210> 24
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Heptanoyl
<220>
<221> MISC_FEATURE
<222>
     (2)..(2)
<223> BAla
<400> 24
Xaa Xaa Arg Cys Trp
<210> 25
<211> 5
<212> PRT
<213> Artificial
```

```
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Heptanoyl
<400> 25
Xaa Ala Arg Cys Trp
                5
<210> 26
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Heptanoyl
<400> 26
Xaa Cys Arg Cys Trp
<210> 27
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Nle
<400> 27
Arg Trp Xaa Cys Phe
```

```
<210> 28
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> C6H5-(CH2)2-CO
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Nle
<400> 28
Xaa Arg Trp Cys Xaa
               5
<210> 29
<211> 5
<212> PRT
<213> Artificial
<220>
<223>
      Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> C6H5-(CH2)2-CO
<220>
<221> MISC_FEATURE
<222>
      (2)..(2)
<223> Nle
<400> 29
Xaa Xaa Trp Cys Arg
<210> 30
<211> 6
<212> PRT
```

```
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Heptanoyl
<400> 30
Xaa Arg Phe His Cys Trp
               5
<210> 31
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Ph(CH2)2-CO
<400> 31
Xaa His Arg Cys Trp
<210> 32
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 32
Arg His Phe Cys Trp
<210> 33
<211> 5
<212> PRT
```

```
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 33
Arg Trp Phe Cys His
<210> 34
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 34
Trp Phe His Cys Arg
<210> 35
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 35
His Phe Trp Cys Arg
<210> 36
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 36
His Arg Trp Cys Phe
<210> 37
```

```
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Heptanoyl
<400> 37
Xaa Phe His Cys Trp
<210> 38
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 38
Phe His Cys Trp
<210> 39
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Nle
<400> 39
Xaa Ala His Phe Arg Cys Trp
<210> 40
```

á

```
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Nle
<400> 40
Xaa Ala His Phe Arg Cys Trp
               5
<210> 41
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 41
Arg Phe Phe Cys Ser
<210> 42
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Nal 2'
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Nal 2
<400> 42
```

```
Arg Phe Xaa Asn Cys Phe
<210> 43
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 43
Arg Phe Phe Asn Cys Phe
<210> 44
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 44
Arg Phe Cys Phe Asn Ala Phe
<210> 45
<211>
      7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 45
Arg Phe Phe Cys Asn Ala Phe
<210> 46
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
```

```
<400> 46
Arg Phe Phe Asn Cys Ala Phe
               5
<210> 47
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 47
Arg Phe Phe Asn Ala Cys Phe
<210> 48
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 48
Arg Phe Phe Asn Phe Cys
<210> 49
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (1)..(1)
<223> Nle
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Aic
<400> 49
```

```
Xaa Ala His Xaa Arg Cys Trp
<210> 50
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Nle
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Aic
<400> 50
Xaa Arg Ala Xaa Cys Trp
               5
<210> 51
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Nle
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Achc
<400> 51
Xaa Ala His Xaa Arg Cys Trp
               5
```

```
<210> 52
<211> 6
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Nle
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Acpc
<400> 52
Xaa Arg Ala Xaa Cys Trp
               5
<210> 53
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Nle
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Acpc
<400> 53
Xaa Ala His Xaa Arg Cys Trp
<210> 54
<211> 5
<212> PRT
```

```
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<400> 54
His Gly Gly Cys Trp
<210> 55
<211> 5
<212> PRT
<213> · Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> (N-2' naphalene) Phe
<400> 55
His Xaa Arg Trp Cys
<210> 56
<211> 12
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
     (3)..(3)
<223> Nle
<400> 56
Tyr Val Xaa Gly His Phe Arg Trp Asp Arg Cys Phe
<210> 57
<211> 12
<212> PRT
```

```
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Nle
<400> 57
Tyr Val Xaa Gly His Phe Arg Trp Asp Cys Arg Phe
                5
                                    10
<210> 58
<211> 12
<212>
      PRT
<213> Artificial
<220>
<223>
      Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Nle
<400> 58
Tyr Val Xaa Gly His Phe Arg Trp Cys Asp Arg Phe
                5
                                    10
<210> 59 ·
<211> 12
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Nle
<400> 59
Tyr Val Xaa Gly His Phe Arg Cys Trp Asp Arg Phe
```

1 5 10

```
<210> 60
<211> 12
<212>
      PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Nle
<400> 60
Tyr Val Xaa Gly His Phe Cys Arg Trp Asp Arg Phe
<210> 61
<211> 12
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222>
      (3)..(3)
<223> Nle
<400> 61
Tyr Val Xaa Gly His Cys Phe Arg Trp Asp Arg Phe
               5
                                   10
<210> 62
<211>
      12
<212>
      PRT
<213>
      Artificial
<220>
<223>
      Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
```

```
<222> (3)..(3)
<223> Nle
<400> 62
Tyr Val Xaa Gly Cys His Phe Arg Trp Asp Arg Phe
<210> 63
<211> 7
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Nle
<400> 63
Xaa Ala His Arg Phe Trp Cys
               5
<210> 64
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Tic
<400> 64
Phe Phe Cys Xaa Lys
   5
<210> 65
<211> 5
<212> PRT
<213> Artificial
```

```
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Inp
<400> 65
Phe Phe Cys Xaa Lys
                5
<210> 66
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> 4-Abz
<400> 66
Phe Phe Cys Xaa Lys
<210> 67
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> 3-Abz
<400> 67
Phe Phe Cys Xaa Lys
```

```
<210> 68
<211> 5
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> 2-Abz
<400> 68
Phe Phe Cys Xaa Lys
<210> 69
<211> 4
<212> PRT
<213> Artificial
<220>
<223> Synthetic metal-binding melanocortin-receptor specific sequence
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Bz
<400> 69
Xaa Arg Trp Cys
```

1